

A close-up, high-contrast photograph of a dragon's head, focusing on its eye. The dragon's scales are dark, textured, and appear to be made of a rough, stone-like material. A single, bright orange-red eye is visible, glowing with a fiery light. The background is dark and out of focus, emphasizing the dragon's features.

&infinity

AWAKEN
IGNITE
ILLUMINATE

FURION SERIES



UNLEASHING YOUR INNER POWER

The new Infinity Furion series is a collection of cutting-edge moving heads designed for those who dare to dream big. Whether you're lighting a grand concert, theatre production or live event, the Furion series gives you the tools to awaken your imagination, ignite your inner creativity and illuminate your most ambitious performances.

This brochure marks the launch of Infinity's most competitive series, showcasing all the new Furion fixtures in a comprehensive overview that highlights their strengths. Welcome to the next level of performance lighting—welcome to Furion!



INDEX

Furion series	6
---------------	---

Spots	10
S402 Spot	14
S602 Spot	16

Hybrid and Beam	26
B402 Beam	30
H402 Hybrid	32

FX402 Bar	42
FX402 Bar	46

Enhance your setup	52
--------------------	----

Extra information	54
-------------------	----

Icon legend	60
-------------	----

Request demo	62
--------------	----

Profiles	18
P402 Profile	22
P602 Profile	24

WashBeams	34
W402 WashBeam	38
W602 WashBeam	40



FURION – HIGH-END LIGHTING

At the heart of every great performance lies the spirit of imagination and the power of light. The Infinity Furion series is more than just a range of moving heads—it's a gateway to finding and unleashing your inner creativity. With the Furion series we invite you to explore your artistic potential and ignite your inspiration to capture your audience with the power of light.

Inspired by the spirit of a dragon, born from the fusion of engineering brilliance and boundless creativity, Furion embodies strength, agility, and precision. The result is a range of powerful features that will take your lighting to the next level:

High brightness

of up to 33,000 lumens with state-of-the-art technology to illuminate your stage with powerful, vibrant light.

IP65 rating

for durability and easy maintenance in even the most extreme weather conditions.

Ultra-smooth and stable

16-bit motor control for the highest precision and jitter-free movements.

Maximise your creativity

with endless features and effects ranging from gobos, prisms, zoom, framing systems to CMY + CTO colour mixing and more.

Lightweight technology

with magnesium/aluminium enclosure for easy handling.

Extensive control options

including customisable DMX modes with RDM, CRMX*, W-DMX*, Art-Net, sACN, 16-bit PWM control and Power Pro True inputs and outputs.

**except FX402 Bar*

In addition to the many cutting-edge features that the series is harnessing, the Furion series also focusses on easy handling. Thoughtfully engineered by professionals for professionals, each Furion fixture features a convenient interface with touch buttons, a battery backup and a gravity sensor for menu orientation and pan reverse.

SCAN FOR
LANDINGS PAGE



Get all the info!

Dive deeper into the world of Furion and discover how these advanced lighting fixtures can help you unleash your inner power. Scan the QR code to learn more and watch Furion in action. Whether you're creating a dazzling light show for a concert, a theatre production or a live event, Furion is ready to ignite your creativity and set the stage ablaze.

S402 SPOT & S602 SPOT

Harness the power of precision with the Furion S402 Spot and S602 Spot moving heads. Designed with advanced technology, these moving heads offer exceptional flexibility and creativity. They feature a flat-field LED light source which creates a uniform field of light with very little loss of brightness towards the edges, delivering the same power in every section of the projection rather than just in the centre. Extensive PWM control and state-of-the-art 16-bit LED dimming deliver flicker-free dimming down to the lowest levels while also being capable of instant, powerful flashes. Studio mode sets the fans to a steady, whisper-quiet mode for noise-sensitive environments.



Spotlight Your Creativity

Both moving heads are equipped with an arsenal of built-in effects, including

<u>CMY colour mixing technology</u>	<u>A dichroic colour wheel</u>	<u>Two gobo wheels—one rotating, one static</u>
<u>A 5-facet circular prism</u>	<u>16-bit pan and tilt</u>	<u>16-bit motorised focus</u>
<u>16-bit motorised iris</u>	<u>Light frost</u>	<u>Animation wheel and Virtual Animation*</u>
<u>Motorised zoom</u>	<i>*Virtual Animation activates individual sections of the LED, changing the angle at which light enters the internal light path. This creates animation wheel-like effects that can be used on top of the animation wheel for massively dynamic effects.</i>	

All effects can be superimposed, creating endless possibilities. Housed in a lightweight, IP65-rated aluminium and magnesium enclosure, these fixtures are engineered to effortlessly harness the full range of dynamic effects Furion has to offer, taking any performance to new heights.

SPOTS

Furion S402 Spot

350 W Spot Moving Head - IP65

Product code: 41450

Furion S602 Spot

600 W Spot Moving Head - IP65

Product code: 41451





S402 SPOT

41450



350 W flat-field LED

Dichroic colour wheel with 8 colours
+ open

Gobo size 20 mm with an image size
of 15 mm

Zoom from 5.1° to 32.5°

The Furion S402 Spot is a versatile and lightweight IP65-rated spot moving head with a powerful 350 W flat-field LED. With its wide zoom range of 5.1° to 32.5°, it delivers flexible lighting coverage with vibrant colours from its CMY colour mixing and colour wheel with 8 colours + open. The S402 Spot boasts an array of dynamic effects, including rotating and static gobos, a 5-facet circular prism, and an animation wheel as well as Virtual Animation for stunning visuals. Built with durable magnesium and aluminium housing, it is ideal for both indoor and outdoor situations.



Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	350 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	11525 lm
CRI:	73.5
CCT:	7400 K
Beam Angle	
Min. - Max. (Circ.):	5.1° - 32.5°
Zoom:	Motorised
Frost:	Yes
Focus:	Motorised
Iris:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	25 / 35
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Prism 1:	5-facet Circular
Anim. Wheel:	Yes + Digital Motion FX
Colour Sys.:	Colour Wheel CMY
Dichroic CW 1:	8 + Open
Gobo Wheel 1:	7 + Open
Gobo Wheel 2:	9 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	450 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	254 (L) x 374 (W) x 662 (H) mm
Weight:	23 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

S602 SPOT

41451



600 W flat-field LED

Dichroic colour wheel with 7 colours
+ open

CMY + CTO colour mixing

Gobo size 25 mm with an image size
of 18 mm

Zoom from 6.3° to 42.6°

The Furion S602 Spot is a powerful, lightweight, IP65-rated spot moving head featuring a robust 600 W flat-field LED and a wide zoom range. With a flexible zoom from 6.3° to 42.6°, it offers adaptable lighting solutions and vibrant colour options through CMY + CTO colour mixing and a colour wheel with 7 colours + open. The S602 Spot is packed with creative features, including rotating and static gobo wheels, a 5-facet circular prism, an animation wheel, and Virtual Animation for dynamic visual effects. Its durable magnesium and aluminium housing makes it suitable for indoor and outdoor use, providing reliable performance with minimal maintenance.



Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	600 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	25162 lm
CRI:	71.3
CCT:	7400 K
Beam Angle	
Min. - Max. (Circ.):	6.3° - 42.6°
Zoom:	Motorised
Frost:	Yes
Focus:	Motorised
Iris:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	26 / 37
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Prism 1:	5-facet Circular
Anim. Wheel:	Yes + Digital Motion FX
Colour Sys.:	Colour Wheel CMY+CTO
Dichroic CW 1:	7 + Open
Gobo Wheel 1:	7 + Open
Gobo Wheel 2:	9 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	700 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	262 (L) x 368 (W) x 717 (H) mm
Weight:	26.5 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

P402 PROFILE & P602 PROFILE

The possibilities are endless with the Furion P402 Profile and P602 Profile. With their strong lumen output and rotating framing effects, these moving heads are perfect for delivering the most intense and dynamic lighting with excellent beam shaping. Like the Furion Spots, they feature a flat-field LED light source that produces a uniform field of light with very little loss of brightness towards the edges, delivering the same power in every section of the projection rather than just in the centre. For noise-sensitive environments, Studio Mode switches the fans to a steady, whisper-quiet mode. Featuring CMY colour mixing, advanced LED technology and a robust suite of effects, these profiles are designed to bring your creative vision to life and maximise the audience experience.



Maximise Your Impact

Both moving heads are equipped with an arsenal of built-in effects, including

A framing system for
precise beam shaping

CMY colour mixing
technology

A dichroic colour wheel

Gobo wheels

A 5-facet circular prism

16-bit pan and tilt

16-bit motorised focus

16-bit motorised iris

Light frost

Animation wheel and
Virtual Animation*

Motorised zoom

**Virtual Animation activates individual sections of the LED, changing the angle at which light enters the internal light path. This creates animation wheel-like effects that can be used on top of the animation wheel for massively dynamic effects.*

Superimpose effects endlessly with Furion's lightweight, IP65-rated fixtures. Designed for maximum performance, these units harness the full range of dynamic effects, elevating any show.

PROFILES

Furion P402 Profile

350 W Profile Moving Head - IP65

Product code: 41460

Furion P602 Profile

600 W Profile Moving Head - IP65

Product code: 41461





P402 PROFILE

41460



350 W flat-field LED

Dichroic colour wheel with 8 colours
+ open

Rotating gobo wheel with 7 gobos

Gobo size 20 mm with an image size
of 15 mm

Zoom from 5.2° to 32.2°

The Furion P402 Profile is a lightweight, IP65-rated moving head with a powerful 350 W flat-field LED. It offers a wide zoom range from 5.2° to 32.2° and vibrant colour options through CMY colour mixing and a colour wheel with 8 colours + open. Packed with features, the P402 Profile includes rotating gobos, a 5-facet circular prism, an animation wheel, and Virtual Animation for dynamic visual effects. The rotating framing FX and precise beam add control, while the durable magnesium and aluminium housing ensures reliable performance in any environment.



Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	350 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	11442 lm
CRI:	74.6
CCT:	7400 K
Beam Angle	
Min. - Max. (Circ.):	5.2° - 32.2°
Zoom:	Motorised
Frost:	Yes
Focus:	Motorised
Iris:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	34 / 52
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Prism 1:	5-facet Circular
Anim. Wheel:	Yes + Digital Motion FX
Framing Shut.:	Motorised
Colour Sys.:	Colour Wheel CMY
Dichroic CW 1:	8 + Open Gobo Wheel
Ind. & Rot.:	Yes
Gobo Wheel 1:	7 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	450 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	254 (L) x 374 (W) x 662 (H) mm
Weight:	25.5 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

P602 PROFILE

41461



600 W flat-field LED

Dichroic colour wheel with 7 colours
+ open


CMY + CTO colour mixing

Rotating gobo wheel with 7 gobos
and static gobo wheel with 9 gobos

Gobo size 25 mm with an image size
of 18 mm

Zoom from 6.5° to 49.4°

The Furion P602 Profile is a lightweight, IP65-rated moving head with a powerful 600 W flat-field LED. Its motorised zoom smoothly adjusts from 6.5° to 49.4°, offering flexibility and dynamic lighting effects. The P602 features CMY + CTO colour mixing, a 7-colour wheel (+ open), rotating and static gobos, an animation wheel as well as Virtual Animation, and a 5-facet circular prism for creating vivid and captivating visuals. With a robust magnesium and aluminium housing, an IP65 rating, and advanced control options, the P602 Profile is a versatile and durable choice for delivering powerful visual effects in any setting.



Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	600 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	22442 lm
CRI:	73
CCT:	7400 K
Beam Angle	
Min. - Max. (Circ.):	6.5° - 49.4°
Zoom:	Motorised
Frost:	Yes
Focus:	Motorised
Iris:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	36 / 55
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Prism 1:	5-facet Circular
Anim. Wheel:	Yes + Digital Motion FX
Framing Shut.:	Motorised
Colour Sys.:	Colour Wheel CMY+CTO
Dichroic CW 1:	7 + Open
Gobo Wheel 1:	7 + Open
Gobo Wheel 2:	9 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	750 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	262 (L) x 368 (W) x 717 (H) mm
Weight:	28.5 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

B402 BEAM & H402 HYBRID

The Furion B402 Beam and H402 Hybrid are engineered for lighting designers who want to push boundaries. The B402 delivers a razor-sharp beam for pinpoint accuracy, while the H402 combines beam, spot, and wash effects into one versatile fixture. Both models feature lightweight, IP65-rated housings and an array of built-in effects to maximise creative possibilities.



Explore New Dimensions

These moving heads come with a significant list of features, such as

A dichroic colour wheel

A 5*/6**-facet linear
prism and an 8-facet
circular prism

16-bit pan and tilt

And several more
depending on the fixture

*B402
**H402

All effects can be superimposed to add dynamics and create an immersive experience. The IP65-rated aluminium/magnesium enclosure provides sufficient protection to withstand the elements and harshest conditions in the field.

HYBRID AND BEAM

Furion B402 Beam


310 W Beam Moving Head - IP65

Product code: 41430

Furion H402 Hybrid

420 W Hybrid Moving Head - IP65

Product code: 41431





B402 BEAM

41430



310 W discharge lamp

Beam angle 0.6°

Dichroic colour wheel with 14 colours + open

Static gobo wheel with 17 gobos

Light frost effect

The Furion B402 Beam is a powerful, IP65-rated moving head with a 310 W discharge lamp and a precise 0.6° beam angle, perfect for creating sharp, focused effects without light spillage. It features a colour wheel with 14 vibrant colours + open, a static gobo wheel with 17 gobos and rotating 5-facet linear and 8-facet circular prisms for dynamic visual effects. A frost filter adds versatility by softening the beam as required. Constructed from durable magnesium and aluminium, the B402 is lightweight yet sturdy, with an IP65 rating for dust-tight and water-resistant protection, ensuring reliable performance both indoors and out.



Specifications:

Light Src. Type:	Discharge
Light Src. Pwr.:	310 W
Luminous Flux:	33344 lm
CRI:	76.2
CCT:	6900 K
Beam Angle Min. (Circ.):	0.6°
Frost:	Yes
Focus:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	15 / 20
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-15 Hz
Shutter:	Yes
Prism 1:	8-facet Circular
Prism 2:	5-facet Linear
Colour Sys.:	Colour Wheel
Dichroic CW 1:	14 + Open
Gobo Wheel 1:	17 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	445 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	256 (L) x 370 (W) x 591 (H) mm
Weight:	20 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

H402 HYBRID

41431



420 W discharge lamp

16-bit motorised zoom from 0.6° to 50.7°

Dichroic colour wheel with 13 colours + open

Rotating gobo wheel with 9 gobos and static gobo wheel with 16 gobos

Beam diffuser for even light distribution without any hotspots

16-bit focus

The Furion H402 Hybrid is an exceptionally versatile moving head that combines beam, spot and wash effects in one powerful fixture. With a 420 W discharge lamp, it offers smooth transitions from a narrow 0.6° beam to a wide 50.7° wash. With 13 vibrant colours (+ open), two gobo wheels, and two rotating prisms, it offers limitless creative possibilities for stunning lighting effects. Built with a durable yet lightweight magnesium and aluminium housing and rated IP65 for dust and water resistance, the Furion H402 Hybrid is an all-in-one lighting solution designed to deliver outstanding performance and reliability indoors and outdoors.



Specifications:

Light Src. Type:	Discharge
Light Src. Pwr.:	420 W
Luminous Flux:	32970 lm
CRI:	76.4
CCT:	6900 K
Beam Angle	
Min. - Max. (Circ.):	0.6° - 31.9°
Cutoff Angle	
Min. - Max. (Circ.):	1.9° - 50.7°
Zoom:	Motorised
Frost:	Yes
Focus:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	20 / 27
Protocols:	CRMX Classic /
DMX	/ W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-15 Hz
Prism 1:	8-facet Circular
Prism 2:	6-facet Linear
Prism Overlay:	Yes
Colour Sys.:	Colour Wheel
Dichroic CW 1:	13 + Open
Gobo Wheel 1:	9 + Open
Gobo Wheel 2:	16 + Open
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC
	50/60 Hz
Pwr. Cons.:	650 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	254 (L) x 370 (W) x 705 (H) mm
Weight:	26.5 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

W402 WASHBEAM & W602 WASHBEAM

The Furion W402 and W602 WashBeam fixtures are designed for those who need versatility without compromise. Whether you're creating sharp beams or soft washes, these fixtures deliver outstanding performance with their large zoom ranges, smooth dimming capabilities with calibrated output. Studio mode keeps fan speeds quiet and consistent for noise-sensitive environments. Lightweight, IP65-rated, and packed with advanced features, they are the ultimate tools for any lighting designer.



Illuminate Every Moment

Both WashBeam moving heads are engineered with several specifications that make them stand out, such as

16-bit zoom	Intelligent white mode with 7500 K output and customisable colour temperature	CTC channel for accurate adjustments between 2700 K and 7500 K
16-bit dimming	16-bit pan and tilt	Studio fan mode for whisper-quiet operation
Adjustable PWM from 600 to 15,000 Hz		

Immerse your audience with Furion’s precise RGBW LED fixtures. Perfect for any event, these fixtures deliver stunning visuals that will captivate and engage.

WASHBEAMS

Furion W402 WashBeam

7 x 45 W Wash Beam Moving Head - IP65

Product code: 41440

Furion W602 WashBeam

19 x 45 W Wash Beam Moving Head - IP65

Product code: 41441





W402 WASHBEAM

41440



7x 45 W RGBW LED light source

Zoom from 3.1° to 36.6°

The Furion W402 WashBeam is a versatile IP65-rated moving head that excels in both beam and wash applications. It is equipped with 7 x 45 W RGBW LEDs and a motorised zoom range from a narrow 3.1° beam to a wide 36.6° wash. Offering precise colour control with adjustable colour temperatures and smooth 16-bit dimming, the W402 WashBeam ensures high-quality lighting transitions. Its rugged, lightweight magnesium-aluminium housing, combined with an IP65 rating, ensures durability and water resistance for both indoor and outdoor use. The Furion W402 WashBeam delivers powerful performance with advanced features and seamless movements, making it a first class lighting choice.

Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	45 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	3951 lm
CRI:	79.1
CCT:	7500 K
Beam Angle	
Min. - Max. (Circ.):	3.1° - 36.6°
Zoom:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	14 / 22
Protocols:	CRMX Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC 50/60 Hz
Pwr. Cons.:	375 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	254 (L) x 370 (W) x 468 (H) mm
Weight:	15.1 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

W602 WASHBEAM

41441



19x 45 W RGBW LED light source


Individual pixel mapping

Zoom from 3° to 34.1°

The Furion W602 WashBeam is a powerful IP65-rated moving head that excels in both beam and wash applications. Equipped with 19x 45 W RGBW LEDs, it seamlessly transitions from a sharp 3° beam to a wide 34.1° wash. Its full pixel mapping capabilities allow for intricate visual effects, while its intelligent white mode and CTC channel offer precise, customisable colour temperatures. 16-bit dimming and silent fan operation ensure smooth light transitions and minimal noise. Constructed from durable, lightweight magnesium and aluminium with an IP65 rating for dust and water resistance, the Furion W602 WashBeam combines power, versatility and durability, making it a top choice for lighting professionals.

Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	45 W
Refresh Rate:	600 Hz
Refresh Rate (Max.):	15 kHz
Luminous Flux:	11148 lm
CRI:	79.8
CCT:	7500 K
Beam Angle	
Min. - Max. (Circ.):	3° - 34.1°
Zoom:	Motorised
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	14 / 19 / 96 / 179
Protocols:	CRM Classic / DMX / W-DMX / RDM
Wireless:	LumenRadio
Display:	Battery / Gravity Sensor / TFT
Strobe:	0-20 Hz
Pan:	540°
Tilt:	260°
Pwr. Supp.:	100-240 V AC
	50/60 Hz
Pwr. Cons.:	1050 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	330 (L) x 430 (W) x 530 (H) mm
Weight:	23 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

FX402 BAR

Forged in the spirit of the Furion legacy, the FX402 Bar carries the fierce precision, flexibility, and power that define the entire Furion series. Inspired by the mythical agility and strength of a dragon, the FX402 isn't just a batten—it's a moving, high-intensity light sculpture. With its razor-sharp beams, flowing movements, and piercing strobe bursts, it's designed to elevate shows with a sense of motion worthy of the Furion name.



Pave a New Path

True to the Furion lineage, the FX402 Bar is fully loaded with features, such as

10 x 60 W RGBW LEDs	Motorised zoom	Individually tilting heads with 200° range
Integrated CW/WW strobe pixels (60 each)	Edge-to-edge mounting and alignment system	IP65-rated magnesium and aluminium housing
Flexible control options	Adjustable PWM from 600 to 15,000 Hz	

Whether soaring through a stadium or slicing across a theatre stage, this fixture gives designers the tools to craft bold, kinetic visuals with signature Furion style.

FX402 BAR

Furion FX402 Bar

10 x 60 W RGBW LED FX Bar with strobe pixels - IP65

Product code: 41470





FX402 BAR

41470



10x 60 W RGBW LEDs

60 CW + 60 WW strobe pixels

200° tilt per head

Motorised zoom (2.7°–31.4°) per head

IP65 housing with edge-to-edge mounting system

The Furion FX402 Bar is a powerful IP65-rated LED batten, built for bold, creative lighting designs. It features 10 individually tilting heads, each equipped with a 60 W RGBW LED and 6 individually controllable CW and WW strobe pixels. It also has a motorised zoom range of 2.7° to 31.4°. Each head offers 200° tilt and precise beam control, making it ideal for live events, TV, theatre, and club settings. With advanced DMX, Art-Net, and sACN control (up to 255 channels), high-speed PWM, and rugged edge-to-edge mounting for seamless effects, the FX402 Bar delivers top-tier performance in any environment—indoors or out.

Specifications:

Light Src. Type:	LED
Light Src. Pwr.:	60 W
LED Col. Type:	RGBW
Luminous Flux:	8951 lm
CRI:	83.7
CCT:	7200 K
Beam Angle	
Min. - Max. (Circ.):	2.7° - 26.7°
Cutoff Angle	
Min. - Max. (Circ.):	3.8° - 31.4°
Ctrl. Mode:	Auto / DMX / Manual
DMX Ch.:	29 / 56 / 144 / 255
Protocols:	Art-Net / DMX / RDM / sACN
Zone Sect. Control:	10
Dimmer:	0-100 %
Pan:	0°
Tilt:	200°
Pwr. Supp.:	200-240 V AC 50/60 Hz
Pwr. Cons.:	800 W
Pwr. Conn. In.:	Power Pro True
Pwr. Conn. Out.:	Power Pro True
DMX Conn.:	XLR 5P In/Out
Data Conn.:	etherCON In/Out
Dimensions (mm):	1.000 (L) x 209 (W) x 322 (H) mm
Weight:	31 kg
IP Rate:	IP65



SCAN FOR
PRODUCT PAGE

FURION SERIES

Furion P402 Profile

350 W Profile Moving Head - IP65

Product code: 41460

Furion P602 Profile

600 W Profile Moving Head - IP65

Product code: 41461

Furion S402 Spot

350 W Spot Moving Head - IP65

Product code: 41450

Furion S602 Spot

600 W Spot Moving Head - IP65

Product code: 41451



Furion H402 Hybrid

420 W Hybrid Moving Head - IP65

Product code: 41431

Furion B402 Beam

310 W Beam Moving Head - IP65

Product code: 41430

Furion W602 WashBeam

19 x 45 W Wash Beam Moving Head - IP65

Product code: 41441

Furion W402 WashBeam

7 x 45 W Wash Beam Moving Head - IP65

Product code: 41440



FURION SERIES

Furion FX402 Bar

10 x 60 W RGBW LED FX Bar with strobe pixels - IP65

Product code: 41470





ENHANCE YOUR SETUP

Maximise the potential of your Infinity Furion fixtures with our range of additional accessories, such as the Quicklock Bracket for the Furion IP Series, which features a plastic handle for easy tightening and a slotted hole for flexible positioning to avoid obstacles. The Infinity IP Tester is essential for checking the IP rating of your Furion fixtures after maintenance, providing a quick check of vacuum and pressure parameters. You can also use the additional gobos to enhance your lighting effects with special glass gobos available in diamond and bubble patterns. They include a gobo holder that you can also use for your own custom gobos.

Quicklock Bracket

For Infinity Furion IP series

Product code: 41499

Infinity IP Tester

For Infinity IP-rated fixtures

Product code: 41549

Furion S/P402 Diamond Gobo

Including gobo holder

Product code: 41545

Furion S/P402 Bubbles Gobo

Including gobo holder

Product code: 41546

Ushio NSL300

Replacement lamp for Phantom 12R and Furion B402 Beam

Product code: 81019

Furion S/P602 Diamond Gobo

Including gobo holder

Product code: 41547

Furion S/P602 Bubbles Gobo

Including gobo holder

Product code: 41548

Ushio NSL400L

Replacement lamp for Infinity Furion H402 Hybrid

Product code: 81023



Storage and transport

Protect your Furion fixtures during transport and storage with our range of protective cases, tailored for each model in the range. Constructed from high-quality materials (Penn Elcom hardware) with foam interiors to fit your fixtures precisely, these cases ensure safe handling in a truck space friendly footprint.



SCAN FOR
MORE INFO

Case for 4x Furion B402 Beam

Product code: D7275

Case for 2x Furion H402 Hybrid

Product code: D7276

Case for 4x Furion W402 WashBeam

Product code: D7277

Case for 2x Furion W602 WashBeam

Product code: D7278

Case for 2x Furion S402 Spot or P402 Profile

Product code: D7279

Case for 2x Furion S602 Spot or P602 Profile

Product code: D7280

Case for 2x Furion FX402 Bar

Product code: D7282




EXTRA INFORMATION

B402 Beam

Colour wheel



Static gobo wheel



H402 Hybrid

Colour wheel



Static gobo wheel



Rotating gobo wheel





S402 Spot

Colour wheel



Static gobo wheel



Rotating gobo wheel



Animation wheel



S602 Spot

Colour wheel



Static gobo wheel



Rotating gobo wheel



Animation wheel





P402 Profile

Colour wheel



Rotating gobo wheel



Animation wheel



Framing systems



P602 Profile

Colour wheel



Static gobo wheel



Rotating gobo wheel



Animation wheel



Framing systems



ICON LEGEND



Animation
wheel



ArtNet
Protocol



Built-in
LED macros



CMY colour
mixing



Colour wheel



CW strobe
pixels



Discharge
lamp



DMX



Flat-field LED



Flicker free



Framing
System



Frost filter



GDTF files
available



Intelligent
white mode



IP65-Rating



Iris



LED in RGBW



Lightweight



Linear CTO



Lumen



Motorised
focus



Motorised
zoom



Pixel control



Powered by
LumenRadio



Prism overlay



RDM



Rotating
gobos



sACN
Protocol



Split FX



Static gobos



Studio mode



Tilt



Virtual
animation



WW strobe
pixels



Zoom range



5-facet
Circular Prism



5-facet
Linear Prism



6-facet
Linear Prism



8-facet
Circular Prism



16-bit
dimming

UNLOCK THE FULL POTENTIAL OF YOUR PRODUCTIONS WITH FURION

Ready to elevate your lighting experience? Explore the full range of Infinity Furion products and accessories today. Visit our webshop to find more detailed information, view technical specifications and place your order quickly and easily.

Do you have any questions or need assistance choosing the right fixtures and accessories for your setup? Our sales team is here to help! Contact us by email or phone and we'll give you expert advice tailored to your specific needs.

sales@highlite.com

+31 45 5 66 77 00

*Don't wait! Take the next step and perfect your productions with
Infinity Furion!*

Request a demo!

Scan the QR code to request a demo
and discover for yourself how Furion can
transform your lighting setup and deliver
outstanding performance every time.



SCAN TO
REQUEST A DEMO

STAY CONNECTED!

@infinity.lighting



sales@highlite.com

+31 45 5 66 77 00

Infinity is a brand
of Highlite International B.V.

 infinity